





Modular design, Patented heatsink,  
Free to change frame





9 kinds of anti-glare reflectors to  
meet different lighting needs




散热器专利号:201930148263.0 三款近似专利, 仿冒必究


| Item No | Voltage            | Power | Dimension | Cutout | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|-----------|--------|----------|-------|------------------|-----------|
| AL020   | 85~265V<br>50/60Hz | 10W   | Ø90mm     | Ø75mm  | Aluminum | 864   | Isolation driver | 2~5 Years |



散热器专利号:201930148263.0 三款近似专利, 仿冒必究


| Item No | Voltage            | Power | Dimension | Cutout | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|-----------|--------|----------|-------|------------------|-----------|
| AL021   | 85~265V<br>50/60Hz | 10W   | Ø90mm     | Ø75mm  | Aluminum | 864   | Isolation driver | 2~5 Years |






散热器专利号:201930148298.4

| Item No | Voltage            | Power  | Dimension   | Cutout | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|-------------|--------|----------|-------|------------------|-----------|
| AL015   | 85~265V<br>50/60Hz | 3~7W   | Ø85xH46mm   | Ø75mm  | Aluminum | 605   | Isolation driver | 2~5 Years |
| AL015   | 85~265V<br>50/60Hz | 7~10W  | Ø108xH58mm  | Ø95mm  | Aluminum | 864   | Isolation driver | 2~5 Years |
| AL015   | 85~265V<br>50/60Hz | 15~20W | Ø138xH76mm  | Ø120mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| AL015   | 85~265V<br>50/60Hz | 25~30W | Ø158xH78mm  | Ø140mm | Aluminum | 2592  | Isolation driver | 2~5 Years |
| AL015   | 85~265V<br>50/60Hz | 35~40W | Ø180xH108mm | Ø160mm | Aluminum | 3456  | Isolation driver | 2~5 Years |




散热器专利号:201930148298.4

| Item No | Voltage            | Power  | Dimension  | Cutout | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|------------|--------|----------|-------|------------------|-----------|
| AL016   | 85~265V<br>50/60Hz | 3~7W   | Ø95xH70mm  | Ø75mm  | Aluminum | 605   | Isolation driver | 2~5 Years |
| AL016   | 85~265V<br>50/60Hz | 7~10W  | Ø115xH80mm | Ø95mm  | Aluminum | 864   | Isolation driver | 2~5 Years |
| AL016   | 85~265V<br>50/60Hz | 15~20W | Ø145xH90mm | Ø125mm | Aluminum | 1728  | Isolation driver | 2~5 Years |



散热器专利号:201930148298.4


| Item No | Voltage            | Power  | Dimension   | Cutout | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|-------------|--------|----------|-------|------------------|-----------|
| AL017   | 85~265V<br>50/60Hz | 3~7W   | Ø85xH58mm   | Ø75mm  | Aluminum | 605   | Isolation driver | 2~5 Years |
| AL017   | 85~265V<br>50/60Hz | 7~10W  | Ø108xH73mm  | Ø95mm  | Aluminum | 864   | Isolation driver | 2~5 Years |
| AL017   | 85~265V<br>50/60Hz | 15~20W | Ø138xH78mm  | Ø120mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| AL017   | 85~265V<br>50/60Hz | 25~30W | Ø158xH108mm | Ø140mm | Aluminum | 2592  | Isolation driver | 2~5 Years |



散热器专利号:201930148298.4


| Item No | Voltage            | Power  | Dimension  | Cutout | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|------------|--------|----------|-------|------------------|-----------|
| AL018   | 85~265V<br>50/60Hz | 3~7W   | Ø90xH70mm  | Ø75mm  | Aluminum | 605   | Isolation driver | 2~5 Years |
| AL018   | 85~265V<br>50/60Hz | 7~10W  | Ø115xH80mm | Ø95mm  | Aluminum | 864   | Isolation driver | 2~5 Years |
| AL018   | 85~265V<br>50/60Hz | 15~20W | Ø145xH98mm | Ø125mm | Aluminum | 1728  | Isolation driver | 2~5 Years |






散热器专利号:201930148298.4

| Item No | Voltage            | Power  | Dimension    | Cutout    | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|--------------|-----------|----------|-------|------------------|-----------|
| AL019   | 85~265V<br>50/60Hz | 3~7W   | 92x92x57mm   | 75x75mm   | Aluminum | 605   | Isolation driver | 2~5 Years |
| AL019   | 85~265V<br>50/60Hz | 7~10W  | 120x120x70mm | 95x95mm   | Aluminum | 864   | Isolation driver | 2~5 Years |
| AL019   | 85~265V<br>50/60Hz | 15~20W | 140x140x75mm | 120x120mm | Aluminum | 1728  | Isolation driver | 2~5 Years |




专利号:201930148263.0

| Item No | Voltage            | Power | Dimension | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|-----------|----------|-------|------------------|-----------|
| GL001   | 85~265V<br>50/60Hz | 10W   | 55x106mm  | Aluminum | 864   | Isolation driver | 2~5 Years |




专利号:201930148263.0

| Item No | Voltage            | Power | Dimension | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|-----------|----------|-------|------------------|-----------|
| GL002   | 85~265V<br>50/60Hz | 10W   | 55x125mm  | Aluminum | 864   | Isolation driver | 2~5 Years |




专利号:201930148263.0


| Item No | Voltage            | Power  | Dimension | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|-----------|----------|-------|------------------|-----------|
| GL003   | 85~265V<br>50/60Hz | 15~18W | 55x115mm  | Aluminum | 1555  | Isolation driver | 2~5 Years |





| Item No | Voltage            | Power  | Dimension  | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|------------|----------|-------|------------------|-----------|
| GL014   | 85~265V<br>50/60Hz | 5~10W  | Ø65xH135mm | Aluminum | 850   | Isolation driver | 2~5 Years |
| GL014   | 85~265V<br>50/60Hz | 10~18W | Ø90xH165mm | Aluminum | 1550  | Isolation driver | 2~5 Years |




| Item No | Voltage            | Power  | Dimension   | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|-------------|----------|-------|------------------|-----------|
| GL017   | 85~265V<br>50/60Hz | 15~20W | Ø100xH100mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| GL017   | 85~265V<br>50/60Hz | 25~30W | Ø100xH120mm | Aluminum | 2592  | Isolation driver | 2~5 Years |





| Item No | Voltage            | Power  | Dimension   | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|-------------|----------|-------|------------------|-----------|
| GL015   | 85~265V<br>50/60Hz | 5~7W   | Ø60xH60mm   | Aluminum | 600   | Isolation driver | 2~5 Years |
| GL015   | 85~265V<br>50/60Hz | 9~12W  | Ø75xH85mm   | Aluminum | 1030  | Isolation driver | 2~5 Years |
| GL015   | 85~265V<br>50/60Hz | 15~18W | Ø100xH100mm | Aluminum | 1550  | Isolation driver | 2~5 Years |




| Item No | Voltage            | Power | Dimension  | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|------------|----------|-------|------------------|-----------|
| GL018   | 85~265V<br>50/60Hz | 10W   | Ø92xH70mm  | Aluminum | 910   | Isolation driver | 2~5 Years |
| GL018   | 85~265V<br>50/60Hz | 20W   | Ø125xH84mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| GL018   | 85~265V<br>50/60Hz | 30W   | Ø140xH92mm | Aluminum | 2592  | Isolation driver | 2~5 Years |




| Item No | Voltage            | Power  | Dimension  | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|------------|----------|-------|------------------|-----------|
| GL031   | 85~265V<br>50/60Hz | 7~10W  | Ø50xH130mm | Aluminum | 864   | Isolation driver | 2~5 Years |
| GL031   | 85~265V<br>50/60Hz | 15~20W | Ø65xH160mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| GL031   | 85~265V<br>50/60Hz | 25~30W | Ø77xH185mm | Aluminum | 2592  | Isolation driver | 2~5 Years |



| Item No | Voltage            | Power  | Dimension  | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|------------|----------|-------|------------------|-----------|
| GL036   | 85~265V<br>50/60Hz | 7~10W  | Ø35xH125mm | Aluminum | 864   | Isolation driver | 2~5 Years |
| GL036   | 85~265V<br>50/60Hz | 15~20W | Ø68xH148mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| GL036   | 85~265V<br>50/60Hz | 25~30W | Ø90xH140mm | Aluminum | 2592  | Isolation driver | 2~5 Years |
| GL036   | 85~265V<br>50/60Hz | 35~40W | Ø90xH180mm | Aluminum | 3456  | Isolation driver | 2~5 Years |





| Item No | Voltage            | Power  | Dimension  | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|------------|----------|-------|------------------|-----------|
| GL035   | 85~265V<br>50/60Hz | 7~10W  | Ø70xH110mm | Aluminum | 864   | Isolation driver | 2~5 Years |
| GL035   | 85~265V<br>50/60Hz | 15~20W | Ø90xH180mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| GL035   | 85~265V<br>50/60Hz | 25~30W | Ø90xH180mm | Aluminum | 2592  | Isolation driver | 2~5 Years |



| Item No | Voltage            | Power | Dimension | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|-----------|----------|-------|------------------|-----------|
| GL040   | 85~265V<br>50/60Hz | 10W   | 101x42mm  | Aluminum | 850   | Isolation driver | 2~5 Years |
| GL040   | 85~265V<br>50/60Hz | 20W   | 131x45mm  | Aluminum | 1720  | Isolation driver | 2~5 Years |
| GL040   | 85~265V<br>50/60Hz | 30W   | 160x50mm  | Aluminum | 2730  | Isolation driver | 2~5 Years |







| Item No | Voltage            | Power | Dimension | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|-----------|----------|-------|------------------|-----------|
| GL042   | 85~265V<br>50/60Hz | 30W   | 115x135mm | Aluminum | 2592  | Isolation driver | 2~5 Years |



| Item No | Voltage            | Power | Dimension     | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|-------|---------------|----------|-------|------------------|-----------|
| GL048   | 85~265V<br>50/60Hz | 10W   | 48.5x60x126mm | Aluminum | 864   | Isolation driver | 2~5 Years |
| GL048   | 85~265V<br>50/60Hz | 20W   | 69x79.5x145mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| GL048   | 85~265V<br>50/60Hz | 30W   | 69x79.5x145mm | Aluminum | 2592  | Isolation driver | 2~5 Years |



| Item No | Voltage            | Power  | Dimension  | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|------------|----------|-------|------------------|-----------|
| GL045   | 85~265V<br>50/60Hz | 7~10W  | Ø45xH130mm | Aluminum | 864   | Isolation driver | 2~5 Years |
| GL045   | 85~265V<br>50/60Hz | 15~20W | Ø60xH150mm | Aluminum | 1728  | Isolation driver | 2~5 Years |
| GL045   | 85~265V<br>50/60Hz | 25~30W | Ø80xH150mm | Aluminum | 2592  | Isolation driver | 2~5 Years |



| Item No | Voltage            | Power  | Dimension | Material | Lumen | Driver           | Warranty  |
|---------|--------------------|--------|-----------|----------|-------|------------------|-----------|
| GL050   | 85~265V<br>50/60Hz | 20~25W | Ø90x120mm | Aluminum | 2160  | Isolation driver | 2~5 Years |
| GL050   | 85~265V<br>50/60Hz | 25~35W | Ø90x130mm | Aluminum | 3024  | Isolation driver | 2~5 Years |
| GL050   | 85~265V<br>50/60Hz | 35~45W | Ø90x145mm | Aluminum | 4090  | Isolation driver | 2~5 Years |